

MVTL

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 N. Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890

2616 E. Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724

51 W. Lincoln Way ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885

MEMBER
ACIL

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

AN EQUAL OPPORTUNITY EMPLOYER

Page: 1 of 4

Amended 2Feb21 (TDS)

Barry Botnen
UND-Energy & Environmental
15 N. 23rd St.
Grand Forks ND 58201

Report Date: 28 Jan 21

Lab Number: 21-W40

Work Order #: 82-0072

Account #: 007033

Date Sampled: 12 Jan 21 12:45

Date Received: 12 Jan 21 14:35

Sampled By: MVTL Field Services

Project Name: Center USGS Well

PO #: B. Botnen

Sample Description: USGS Well

Temp at Receipt: 8.9C ROI

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Metal Digestion				EPA 200.2	12 Jan 21	HT
pH - Field	8.42	units	NA	SM 4500 H+ B	12 Jan 21 12:45	JSM
Temperature - Field	11.8	Degrees C	NA	SM 2550B	12 Jan 21 12:45	JSM
Total Alkalinity	938	mg/l CaCO3	20	SM2320B-11	12 Jan 21 17:00	HT
Phenolphthalein Alk	< 20	mg/l CaCO3	20	SM2320B-11	12 Jan 21 17:00	HT
Bicarbonate	912	mg/l CaCO3	20	SM2320B-11	12 Jan 21 17:00	HT
Carbonate	26	mg/l CaCO3	20	SM2320B-11	12 Jan 21 17:00	HT
Hydroxide	< 20	mg/l CaCO3	20	SM2320B-11	12 Jan 21 17:00	HT
Conductivity - Field	2641	umhos/cm	1	EPA 120.1	12 Jan 21 12:45	JSM
Tot Dis Solids(Summation)	1520	mg/l	12.5	SM1030-F	15 Jan 21 11:45	Calculated
Nitrate as N	< 0.2	mg/l	NA	EPA 353.2	14 Jan 21 9:17	Calculated
Bromide	2.83	mg/l	0.100	EPA 300.0	14 Jan 21 22:24	RMV
Total Organic Carbon	1.7	mg/l	0.5	SM5310C-11	22 Jan 21 17:28	NAS
Dissolved Organic Carbon	1.7	mg/l	0.5	SM5310C-96	22 Jan 21 17:28	NAS
Fluoride	3.54	mg/l	0.10	SM4500-F-C	12 Jan 21 17:00	HT
Sulfate	< 5	mg/l	10.0	ASTM D516-11	15 Jan 21 8:50	EV
Chloride	323	mg/l	2.0	SM4500-Cl-E-11	13 Jan 21 11:25	EV
Nitrate-Nitrite as N	< 0.2	mg/l	0.20	EPA 353.2	14 Jan 21 9:17	EV
Nitrite as N	< 0.2	mg/l	0.20	EPA 353.2	14 Jan 21 7:59	EV
Phosphorus as P - Total	< 0.2	mg/l	0.20	EPA 365.1	15 Jan 21 8:17	EV
Phosphorus as P-Dissolved	< 0.2	mg/l	0.20	EPA 365.1	15 Jan 21 8:17	EV
Mercury - Total	< 0.0002	mg/l	0.0002	EPA 245.1	13 Jan 21 11:16	MDE
Mercury - Dissolved	< 0.0002	mg/l	0.0002	EPA 245.1	13 Jan 21 11:16	MDE

RL = Method Reporting Limit

The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response

CERTIFICATION: ND # ND-00016

MVTL

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 N. Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890

2616 E. Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724

51 W. Lincoln Way ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885

MEMBER
ACIL

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

AN EQUAL OPPORTUNITY EMPLOYER

Page: 2 of 4

Amended 2Feb21 (TDS)

Barry Botnen
UND-Energy & Environmental
15 N. 23rd St.
Grand Forks ND 58201

Report Date: 28 Jan 21
Lab Number: 21-W40
Work Order #: 82-0072
Account #: 007033
Date Sampled: 12 Jan 21 12:45
Date Received: 12 Jan 21 14:35
Sampled By: MVTL Field Services

Project Name: Center USGS Well

PO #: B. Botnen

Sample Description: USGS Well

Temp at Receipt: 8.9C ROI

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Calcium - Total	4.0	mg/l	1.0	6010D	15 Jan 21 11:45	MDE
Magnesium - Total	< 1	mg/l	1.0	6010D	15 Jan 21 11:45	MDE
Sodium - Total	630	mg/l	1.0	6010D	15 Jan 21 11:45	MDE
Potassium - Total	2.8	mg/l	1.0	6010D	15 Jan 21 11:45	MDE
Lithium - Total	0.186	mg/l	0.020	6010D	21 Jan 21 15:22	MDE
Aluminum - Total	< 0.1	mg/l	0.10	6010D	20 Jan 21 10:36	MDE
Iron - Total	0.40	mg/l	0.10	6010D	20 Jan 21 10:36	MDE
Silicon - Total	5.04	mg/l	0.10	6010D	26 Jan 21 9:37	MDE
Strontium - Total	0.16	mg/l	0.10	6010D	20 Jan 21 10:36	MDE
Zinc - Total	< 0.05	mg/l	0.05	6010D	20 Jan 21 10:36	MDE
Boron - Total	2.87	mg/l	0.10	6010D	26 Jan 21 10:46	MDE
Calcium - Dissolved	3.7	mg/l	1.0	6010D	15 Jan 21 9:45	MDE
Magnesium - Dissolved	< 1	mg/l	1.0	6010D	15 Jan 21 9:45	MDE
Sodium - Dissolved	670	mg/l	1.0	6010D	15 Jan 21 9:45	MDE
Potassium - Dissolved	3.2	mg/l	1.0	6010D	15 Jan 21 9:45	MDE
Lithium - Dissolved	0.102	mg/l	0.020	6010D	21 Jan 21 15:22	MDE
Aluminum - Dissolved	< 0.1	mg/l	0.10	6010D	20 Jan 21 9:36	MDE
Iron - Dissolved	0.25	mg/l	0.10	6010D	20 Jan 21 9:36	MDE
Silicon - Dissolved	5.12	mg/l	0.10	6010D	26 Jan 21 9:37	MDE
Strontium - Dissolved	0.15	mg/l	0.10	6010D	20 Jan 21 9:36	MDE
Zinc - Dissolved	< 0.05	mg/l	0.05	6010D	20 Jan 21 9:36	MDE
Boron - Dissolved	2.85	mg/l	0.10	6010D	26 Jan 21 10:46	MDE
Antimony - Total	< 0.001	mg/l	0.0010	6020B	14 Jan 21 19:47	MDE

RL = Method Reporting Limit

The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response

CERTIFICATION: ND # ND-00016

MVTL

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 N. Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890

2616 E. Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724

51 W. Lincoln Way ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885

MEMBER
ACIL

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

AN EQUAL OPPORTUNITY EMPLOYER

Page: 3 of 4

Amended 2Feb21 (TDS)

Barry Botnen
UND-Energy & Environmental
15 N. 23rd St.
Grand Forks ND 58201

Report Date: 28 Jan 21
Lab Number: 21-W40
Work Order #: 82-0072
Account #: 007033
Date Sampled: 12 Jan 21 12:45
Date Received: 12 Jan 21 14:35
Sampled By: MVTL Field Services

Project Name: Center USGS Well

PO #: B. Botnen

Sample Description: USGS Well

Temp at Receipt: 8.9C ROI

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Arsenic - Total	< 0.002	mg/l	0.0020	6020B	14 Jan 21 19:47	MDE
Barium - Total	0.0966	mg/l	0.0020	6020B	14 Jan 21 19:47	MDE
Beryllium - Total	< 0.0005	mg/l	0.0005	6020B	14 Jan 21 19:47	MDE
Cadmium - Total	< 0.0005	mg/l	0.0005	6020B	14 Jan 21 19:47	MDE
Chromium - Total	< 0.002	mg/l	0.0020	6020B	14 Jan 21 19:47	MDE
Cobalt - Total	< 0.002	mg/l	0.0020	6020B	14 Jan 21 19:47	MDE
Copper - Total	< 0.002	mg/l	0.0020	6020B	14 Jan 21 19:47	MDE
Lead - Total	0.0006	mg/l	0.0005	6020B	14 Jan 21 19:47	MDE
Manganese - Total	0.0088	mg/l	0.0020	6020B	14 Jan 21 19:47	MDE
Molybdenum - Total	0.0058	mg/l	0.0020	6020B	14 Jan 21 19:47	MDE
Nickel - Total	< 0.002	mg/l	0.0020	6020B	14 Jan 21 19:47	MDE
Selenium - Total	< 0.005	mg/l	0.0050	6020B	14 Jan 21 19:47	MDE
Silver - Total	< 0.0005	mg/l	0.0005	6020B	14 Jan 21 19:47	MDE
Thallium - Total	< 0.0005	mg/l	0.0005	6020B	14 Jan 21 19:47	MDE
Vanadium - Total	< 0.002	mg/l	0.0020	6020B	14 Jan 21 19:47	MDE
Antimony - Dissolved	< 0.001	mg/l	0.0010	6020B	15 Jan 21 14:56	MDE
Arsenic - Dissolved	< 0.002	mg/l	0.0020	6020B	15 Jan 21 14:56	MDE
Barium - Dissolved	0.0954	mg/l	0.0020	6020B	15 Jan 21 14:56	MDE
Beryllium - Dissolved	< 0.0005	mg/l	0.0005	6020B	15 Jan 21 14:56	MDE
Cadmium - Dissolved	< 0.0005	mg/l	0.0005	6020B	15 Jan 21 14:56	MDE
Chromium - Dissolved	< 0.002	mg/l	0.0020	6020B	15 Jan 21 14:56	MDE
Cobalt - Dissolved	< 0.002	mg/l	0.0020	6020B	15 Jan 21 14:56	MDE
Copper - Dissolved	< 0.002	mg/l	0.0020	6020B	15 Jan 21 14:56	MDE

RL = Method Reporting Limit

The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response

CERTIFICATION: ND # ND-00016

MVTL

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 N. Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890

2616 E. Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724

51 W. Lincoln Way ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885

MEMBER
ACIL

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

AN EQUAL OPPORTUNITY EMPLOYER

Page: 4 of 4

Amended 2Feb21 (TDS)

Barry Botnen
UND-Energy & Environmental
15 N. 23rd St.
Grand Forks ND 58201

Report Date: 28 Jan 21
Lab Number: 21-W40
Work Order #: 82-0072
Account #: 007033
Date Sampled: 12 Jan 21 12:45
Date Received: 12 Jan 21 14:35
Sampled By: MVTL Field Services

Project Name: Center USGS Well

Sample Description: USGS Well

PO #: B. Botnen

Temp at Receipt: 8.9C ROI

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Lead - Dissolved	< 0.0005	mg/l	0.0005	6020B	15 Jan 21 14:56	MDE
Manganese - Dissolved	0.0081	mg/l	0.0020	6020B	15 Jan 21 14:56	MDE
Molybdenum - Dissolved	0.0058	mg/l	0.0020	6020B	15 Jan 21 14:56	MDE
Nickel - Dissolved	< 0.002	mg/l	0.0020	6020B	15 Jan 21 14:56	MDE
Selenium - Dissolved	< 0.005	mg/l	0.0050	6020B	15 Jan 21 14:56	MDE
Silver - Dissolved	< 0.001 ^	mg/l	0.0005	6020B	15 Jan 21 14:56	MDE
Thallium - Dissolved	< 0.0005	mg/l	0.0005	6020B	15 Jan 21 14:56	MDE
Vanadium - Dissolved	< 0.002	mg/l	0.0020	6020B	15 Jan 21 14:56	MDE

^ Elevated result due to instrument performance at the lower limit of quantification (LLOQ).

Approved by:

Claudette K. Carroll

Claudette K. Carroll, Laboratory Manager, Bismarck, ND

RL = Method Reporting Limit

The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response

CERTIFICATION: ND # ND-00016